


We keep our products updated continuously, if any change occur to the products shown here, forgive us for not informing you.



ZHEJIANG LINGSUN INDUSTRY & TRADING CO., LTD

Factory Address: No.138,Wanjin Road, Industrial Functional Zone,Zhiying Town,Yongkang City,Zhejiang Province
Yiwu Office Address: #8 Building Qinglian Third District, Beiyuan Street,Yiwu City,Zhejiang Province
sales@chinafalcon.cn / sales1@chinafalcon.cn / sales2@chinafalcon.cn / sales3@chinafalcon.cn
sales4@chinafalcon.cn / linda@kidsvehicleclub.com www.chinafalcon.net / www.lingsunmotor.com

Sunshine International Trading FZCO

Add: EBF02.03.04.05.15.16.17.18, Dragon Mart International City, Al Awir RD, Dubai-U.A.E
Tel: +971-04-4393695 Fax: +971-04-4393695
Mobile:+971-50-8848528, +971-52-7315888, E-mail: xbg928@qq.com

LINGSUN
MOTOR

ZHEJIANG LINGSUN
INDUSTRY & TRADING CO., LTD
浙江灵隼工贸有限公司



LINGSUN
Vehicle



www.lingsunmotor.com

Company Description



Products Certification



About US

>>> ZHEJIANG LINGSUN INDUSTRY & TRADING CO., LTD.

Zhejiang Lingsun Industry & Trading Co., Ltd is located in Yongkang,Zhejiang, covers an area of 20000m² and more than 150 employees. We are one of a professional manufactory of Design, Research, Production and Sales of ATV, DIRT BIKE , GO KART, SCOOTER, E-ATV, CAMPING WAGON and so on. we believe that "People-oriented, customer first" to constantly improve production technology and improve product quality. Through several years of efforts, our company has passed the inspection of ISO9001, and our products have passed the professional test of CE, EEC, EN131 and so on. Because of the competitive price and steady quality, our products are sold well in Middle East, Southeast Asia, Africa, Europe, Australia, America, and South American and other markets. We believe the service tenet -- "High quality and sincere service" . Hope our sincere cooperative attitude can meet your requirement, we are looking forward to building long-term business with you.

Sunshine International Trading FZCO is an oversea branch of Zhejiang Lingsun Industry & Trading Co., Ltd. It is located in Dubai, U.A.E. and specialized in ATV, DIRT BIKE , GO KART, SCOOTER,CAMPING WAGON and RELEVANT SPARE PARTS. Thanks to the Chinese manufactory support, we keep our products in steady quality with competitive price. We are one of the biggest wholesalers of ATV in Middle East. Thanks to the Dubai free port, which help us provide better service for customers all over the world.



2024 NEW MODEL



A7-03

Start: Electric start
 Engine: 110CC,4-stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): Drum/Hydraulic disc
 Tire(F/R): 145/70-6
 Seat Height: 58cm
 Product Size: 116x74x86cm
 Packing Size: 116x64x60cm
 N.W/G.W: 64/76kgs
 Loading Capacity: 54pcs/20GP; 144pcs/40HQ



A7-29

Start: Electric start
 Engine: GY6 150/200CC,4-stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): Hydraulic disc
 Tire(F/R): 23x7-10,22x10-10
 Seat Height: 87cm
 Product Size: 177x118x108cm
 Packing Size: 148x84x80cm
 N.W/G.W: 162/190kgs
 Loading Capacity: 22pcs/20GP; 66pcs/40HQ

A7-08

Start: Electric start
 Engine: 110CC,4-stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): Drum/Hydraulic disc
 Tire(F/R): 19x7-8,18x9,5-8
 Seat Height: 76cm
 Product Size: 145x90x102cm
 Packing Size: 132x76x60cm
 N.W/G.W: 99/114kgs
 Loading Capacity: 39pcs/20GP; 108pcs/40HQ



E7-011

Motor power: 36V/500W/800W/1000W
 Battery: 12V/12AH X 3(Lead-acid battake)
 Controller: 36V/500W/800W/1000W
 Drive train: Chain
 Brake(F/R): Mechanical disc brake
 Tire(F/R): 4.10-6,13-5,00-6
 Seat Height: 50cm
 Product Size: 96x65x71cm
 Packing Size: 102x58x47cm
 N.W/G.W: 49/54kgs
 Loading Capacity: 110pcs/20GP;230cs/40HQ



A7-23Z

Start: Electric start
 Engine: 110CC,4-stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): Drum/Hydraulic disc
 Tire(F/R): 19x7-8,18x9,5-8
 Seat Height: 85cm
 Product Size: 180x111x112cm
 Packing Size: 138x76x60cm
 N.W/G.W: 106/123kgs
 Loading Capacity: 36pcs/20GP; 100pcs/40HQ



A7-30

Start: Electric start
 Engine: GY6 150/200CC,4-stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): Hydraulic disc
 Tire(F/R): 23x7-10,22x10-10
 Seat Height: 87cm
 Product Size: 177x118x108cm
 Packing Size: 148x84x80cm
 N.W/G.W: 162/190kgs
 Loading Capacity: 22pcs/20GP; 66pcs/40HQ



150-250CC ATV



ATV



A7-17G/A7-17

Start:	Electric start	Tire(F/R):	21x7-8/20x9.5-8
Engine:	Manual gear: 150cc/200cc/250cc 4 stroke air cooled or water cooled Automatic gear: 150cc/175cc/200cc 4 stroke air cooled or water cooled	Seat height:	85cm
Ignition:	C.D.I	Product size:	180x111x112cm
Drive train:	Chain	Packing size:	148x84x82cm
Brake(F/R):	Drum/Hydraulic disc	N.W./G.W.:	135/158kgs
		Loading Capacity:	22pcs/20GP; 66pcs/40HQ



A7-32

Start:	Electric start
Engine:	200CC GY6, oil cooled
Max Speed:	75km/h
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	21x7-10/22x10-10
Seat height :	95cm
Product Size:	183x117x132cm
Packing Size:	167x97x82cm
N.W./G.W.:	150/173kgs
Loading Capacity:	14pcs/20GP; 42pcs/40HQ



A7-17 SHAFT DRIVE TRANSSION

Engine:	250cc, engine (4+1) 4stroke, air cooled, Manual
Starting system:	Electric start
Battery:	12V9AH
Brake(R/F):	All Hydraulic disc
Tire(R/F):	12" with Alu hub
Absorber:	Air bag absorber
Muffler:	Single Steel
Product size:	180x111x112cm
Packing Size:	148x84x82cm
N.W./G.W.:	135/158kgs
Loading Capacity:	16pcs/20GP; 47pcs/40HQ

A7-17 4X4

Start:	Electric start
Engine:	300CC, 4-stroke, oil cooled
Max Speed:	75km/h
Ignition:	C.D.I
Drive train:	Shaft drive, 4x4
Brake(F/R):	Hydraulic disc
Tire(F/R):	25x8-12; 25x10-12
Seat Height:	92cm
Product Size:	194x109x91.5cm
Packing Size:	195x110x80cm
N.W./G.W.:	230/265kgs
Loading Capacity:	12pcs/20GP; 36pcs/40HQ

150-250CC ATV



ATV



A7-18

Start:	Electric start
Engine:	150/200/250CC, 4-stroke, Single cylinder, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	21x7.00-10/22x10.0-10
Seat height :	85cm
Product Size:	190x105x105cm
Packing Size:	196x12x80cm
N.W./G.W.:	191/224kgs
Loading Capacity:	12pcs/20GP; 36pcs/40HQ

A7-22

Engine:	GY6 150cc, 1+1, 4stroke, air cooled, Automatic
Starting system:	Electric start
Battery:	12V9AH
Brake:	F/R Disc
Tank:	Steel
Tire(F/R):	21*7-10 / 22*10-10 with Alu hub
Muffler:	Single Steel
Shock absorption:	Alu oil pressure Shock
Package size:	148x84x80cm
N.W./G.W.:	135/158kgs
Loading Capacity:	22pcs/20GP; 66pcs/40HQ



A7-20

Start:	Electric start
Engine:	150/200/250CC, 4-stroke, air cooled, single cylinder
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	21x7-10/22x10-10
Seat height :	77cm
Product Size:	166x100x110cm
Packing Size:	150x83x80cm
N.W./G.W.:	140/155kgs
Loading Capacity:	20pcs/20GP; 63pcs/40HQ



A7-33

Start:	Electric start
Engine:	200/250CC, 4-stroke, 200CC GY6, oil cooled
Max Speed:	75km/h
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	21x7-10/22x10-10
Seat height :	95cm
Product Size:	188x117x132cm
Packing Size:	166x102x82cm
N.W./G.W.:	150/173kgs
Loading Capacity:	14pcs/20GP; 42pcs/40HQ

ATV



A7-25

Start: Electric start
 Engine: 300CC, 4-stroke, air cooled,
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): Hydraulic disc
 Tire(F/R): 25x8-12, 25x10-12
 Seat Height: 92cm
 Product Size: 194x109x91.5cm
 Packing Size: 195x110x80cm
 N.W./G.W: 230/265kgs
 Loading Capacity: 12pcs/20GP; 36pcs/40HQ

A7-27 4X4

Start: Electric start
 Engine: 300CC, 4-stroke, oil cooled
 Max Speed: 75km/h
 Ignition: C.D.I
 Drive train: Shaft drive, 4x4
 Brake(F/R): Hydraulic disc
 Tire(F/R): 25x8-12, 25x10-12
 Seat Height: 92cm
 Product Size: 194x109x91.5cm
 Packing Size: 195x110x80cm
 N.W./G.W: 230/265kgs
 Loading Capacity: 12pcs/20GP; 36pcs/40HQ



E7-17

Start: Electric start
 Motor power: 72V/2000W Brushless
 Battery: 12V/20AH (Lead-acid battery)
 Brake(F/R): Hydraulic disc
 Tire(F/R): 25x8-12, 25x10-12
 Seat Height: 85cm
 Product Size: 180x111x112cm
 Packing Size: 148x84x82cm
 N.W./G.W: 135/158kgs
 Loading Capacity: 16pcs/20GP; 47pcs/40HQ

GO KART



G7-03

Start: Electric start	Tire: 145/70-6
Engine: 110/125CC, 4-stroke, Single cylinder, air cooled	Seat height: 30cm
Ignition: C.D.I	Product Size: 167x102x119cm
Drive train: Chain	Packing Size: 161x82x49cm
Brake(R): Hydraulic disc	N.W./G.W: 94/118kgs
	Loading Capacity: 28pcs/20GP; 70pcs/40HQ

G7-03E

Start: Electric start
 Motor power: 60V/1500W brushless motor
 Battery: 12V/20AH Lead Acid battery X5pcs
 Drive train: Chain
 Brake(R): Hydraulic disc
 Tire(F/R): 145/70-6
 Seat height: 30 cm
 Product Size: 167X102X119 cm
 Packing Size: 161X82X59 cm
 N.W./G.W: 128 /152 KGS
 Loading Capacity: 28pcs/20GP; 91pcs/40HQ



GO KART

GO KART



G7-05

Start:	Electric start
Engine:	110/125CC, 4-stroke, air cooled, single cylinder C.D.I
Ignition:	Chain
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	16x8-7
Seat height :	40cm
Product Size:	198x136x137cm
Packing Size:	183x115.5x64cm
N.W./G.W:	157/177kgs
Loading Capacity:	18pcs/20GP; 48pcs/40HQ



G7-08

Start:	Electric start
Engine:	150CC, 4-stroke, air cooled, single cylinder C.D.I
Ignition:	CVT(with back gear)
Drive train:	CVT(with back gear)
Brake(F/R):	Hydraulic disc
Tire(F/R):	21x7-10; 22x10-10
Seat height :	52cm
Product Size:	225x151x164cm
Packing Size:	231x130x63cm
N.W./G.W:	255/285kgs
Loading Capacity:	12pcs/20GP; 36pcs/40HQ



G7-09

Start:	Electric start
Engine:	150CC/200CC, 4-stroke, air cooled, single cylinder C.D.I
Ignition:	Chain
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	21x7-10, 20x10-10
Seat height :	52cm
Product Size:	225x122x140cm
Packing Size:	232x122x83cm
N.W./G.W:	245/265kgs
Loading Capacity:	8pcs/20GP; 36pcs/40HQ



G7-07

Start:	Electric start
Engine:	125/150CC, 4-stroke, air cooled, single cylinder C.D.I
Ignition:	Chain
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	18x7.00-8
Seat height :	57cm
Product Size:	207x105x96cm
Packing Size:	195x115.5x61cm
N.W./G.W:	140/160kgs
Loading Capacity:	18pcs/20GP; 48pcs/40HQ



G7-07E

Start:	Electric Start
Motor power:	48V800W/60V1200W
Battery:	12V20AH/60V42AH
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	18x7.00-8
Seat Height:	57 cm
Product Size:	207x105x96cm
Packing Size:	195x115.5x64cm
N.W./G.W:	180/200kgs
Loading Capacity:	18pcs/20GP; 48pcs/40HQ



G7-02E

Start:	Electric Start
Motor:	48V 500W
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	13x5.00-6
Seat Height:	20cm
Product Size:	133x83x90cm
Packing Size:	135x85x62cm
N.W./G.W:	60/84kgs
Loading Capacity:	33pcs/20GP; 88pcs/40HQ



G7-01

Start:	Electric Start
Engine:	125CC, 1+1, 4-stroke, air cooled, single cylinder C.D.I
Ignition:	C.D.I
Drive train:	Chain
Brake(R):	Hydraulic disc
Tire(F/R):	145/70-6, 16x8-7
Seat Height:	30cm
Product Size:	167x102x119cm
Packing Size:	169.5x76x58cm
N.W./G.W:	124/149kgs
Loading Capacity:	30pcs/20GP; 84pcs/40HQ

80-125CC ATV

ATV

A7-12 (8inch)

Start:	Electric start
Engine:	110/125CC, single cylinder, 4-stroke, air cooled
Max Speed:	55 km/h
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19x7-8; 18x9.5-8
Seat Height:	75cm
Product Size:	146x88x97cm
Packing Size:	131x76x60cm
N.W/G.W.:	109/125kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ



A7-12

Start:	Electric start
Engine:	110/125CC, single cylinder, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	145/70-6
Seat Height:	62cm
Product Size:	125x72x82cm
Packing Size:	116x64x60cm
N.W/G.W.:	70/82kgs
Loading Capacity:	54pcs/20GP; 144pcs/40HQ



A7-012

Engine:	49CC, single cylinder, 2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	13x4.10-6; 13x5.00-6
Product size:	102x69x68cm
Packing size:	102x58x47cm
N.W/G.W.:	37/41 kgs
Loading Capacity:	110pcs/20GP; 230pcs/40HQ

A7-13

Start:	Electric start
Engine:	110/125CC, 4-stroke, single cylinder, air cooled
Max speed:	55km/h
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16x8-7
Seat height:	64cm
Product size:	140x89x91cm
Packing size:	126x76x61cm
N.W/G.W.:	84/99 kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ



A7-13H

Start:	Electric start
Engine:	110/125CC, single cylinder, 4-stroke, air cooled
Max Speed:	55 km/h
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19x7-8; 18x9.5-8
Seat Height:	75cm
Product Size:	146x88x97cm
Packing Size:	131x76x60cm
N.W/G.W.:	106/122kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ



A7-23

Start:	Electric start
Engine:	125CC, 4-stroke, air cooled,
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19x7-8; 18x9.5-8
Seat Height:	85cm
Product Size:	180x111x112cm
Packing Size:	142x84x68cm
N.W/G.W.:	135/158kgs
Loading Capacity:	22pcs/20GP; 66pcs/40HQ



ATV

ATV



A7-13D LED

Start:	Electric start
Engine:	110/125CC, single cylinder, 4-stroke, air cooled
Max Speed:	55 km/h
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19x7-8; 18x9.5-8
Seat Height:	75cm
Product Size:	146x88x97cm
Packing Size:	131x76x60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ



A7-15

Start:	Electric start
Engine:	80CC GY6/125CC, single cylinder, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16x8-7
Seat Height:	64cm
Product Size:	140x86x91cm
Packing Size:	126x76x60cm
N.W./G.W.:	85/97kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ

A7-13D SPOT

Start:	Electric start
Engine:	110/125CC, single cylinder, 4-stroke, air cooled
Max Speed:	55 km/h
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19x7-8; 18x9.5-8
Seat Height:	75cm
Product Size:	146x88x97cm
Packing Size:	131x76x60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ



A7-16

Start:	Electric start
Engine:	110/125CC, single cylinder, 4-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16x8-7
Seat Height:	64cm
Product Size:	140x86x91cm
Packing Size:	126x76x60cm
N.W./G.W.:	75/87kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ



A7-13Z

Start:	Electric start
Engine:	110/125CC, single cylinder, 4-stroke, air cooled
Max Speed:	55 km/h
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19x7-8; 18x9.5-8
Seat Height:	75cm
Product Size:	146x88x97cm
Packing Size:	131x76x60cm
N.W./G.W.:	109/125kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ



A7-21 SNOWMOBILE

Start:	Electric start
Engine:	110/125CC, 4-stroke, single cylinder, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16x8-7/SLDFGES & TRACKS
Seat Height:	73cm
Product Size:	155x95x95cm
Packing Size:	126x76x60cm
N.W./G.W.:	85/98kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ

ATV



A7-02/A7-02M/A7-02AM

Start:	Electric start	Tire(F/R):	145/70-6
Engine:	110/125CC,4-stroke, single cylinder,air cooled	Seat height:	62cm
Ignition:	C.D.I	Product size:	125x72x82cm
Drive train:	Chain	Packing size:	116x64x59cm
Brake(F/R):	Drum/Hydraulic disc	N.W/G.W.:	64/76 kgs
		Loading Capacity:	54pcs/20GP;144pcs/40HQ



A7-02G

Start:	Electric start
Engine:	80CC,GY6,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	145/70-6,16x8-7
Seat height:	61cm
Product size:	120x72x81cm
Packing size:	116x65x59cm
N.W/G.W.:	68/81 kgs
Loading Capacity:	54pcs/20GP;136pcs/40HQ



A7-05

Start:	Electric start
Engine:	110/125CC,4-stroke, single cylinder,air cooled
Max speed:	55km/h
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19x7-8;18x9.5-8
Seat height:	69cm
Product size:	144x90x95cm
Packing size:	137x83x62cm
N.W/G.W.:	105/120 kgs
Loading Capacity:	33pcs/20GP;88pcs/40HQ

ATV



A7-07

Start:	Electric start
Engine:	110/125CC,4-stroke, single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	16x8-7
Seat height:	64cm
Product size:	125x78x87cm
Packing size:	116x72x64cm
N.W/G.W.:	82/92 kgs
Loading Capacity:	48pcs/20GP;128pcs/40HQ

A7-09

Start:	Electric start
Engine:	110/125CC,4-stroke, single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16x8-7
Seat height:	64cm
Product size:	144x89x91cm
Packing size:	123x75x62cm
N.W/G.W.:	79/93 kgs
Loading Capacity:	39pcs/20GP;111pcs/40HQ



A7-10

Start:	Electric start
Engine:	110/125CC,4-stroke, single cylinder,air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16x8-7
Seat height:	66cm
Product size:	133.5x73x78cm
Packing size:	115x75x59cm
N.W/G.W.:	74/84 kgs
Loading Capacity:	45pcs/20GP;124pcs/40HQ

ATV

MINI ATV



A7-11

Start:	Electric start
Engine:	110/125CC, single cylinder, 4-stroke, air cooled
Max Speed:	55 km/h
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	19x7-8; 18x9.5-8
Seat Height:	72cm
Product Size:	152x100x97 cm
Packing Size:	131x76x60cm
N.W/G.W.:	109/125kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ

A7-21

Start:	Electric start
Engine:	110/125CC, 4-stroke, single cylinder, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16x8-7
Seat height:	73cm
Product size:	155x95x95cm
Packing size:	126x76x61cm
N.W/G.W.:	85/98 kgs
Loading Capacity:	39pcs/20GP; 108pcs/40HQ



A7-06

Start:	Electric start
Engine:	110/125CC, 4-stroke, single cylinder, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Drum/Hydraulic disc
Tire(F/R):	16x8-7
Seat height:	73cm
Product size:	172x95x95cm
Packing size:	131x76x62cm
N.W/G.W.:	91x107 kgs
Loading Capacity:	36pcs/20GP; 108pcs/40HQ



A7-008

Start:	Pull start
Engine:	49CC, single cylinder, 2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	13x4.10-6; 13x5.00-6
Seat height:	52cm
Product size:	105x63x75cm
Packing size:	98x56x44cm
N.W/G.W.:	35/39 kgs
Loading Capacity:	120pcs/20GP; 288pcs/40HQ



A7-007

Start:	Pull start
Engine:	49CC, single cylinder, 2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	13x4.10-6; 13x5.00-6
Seat height:	47cm
Product size:	102x69x70cm
Packing size:	102x58x52cm
N.W/G.W.:	30/33 kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ



A7-006

Start:	Electric start
Engine:	49CC, single cylinder, 2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	13x4.10-6; 13x5.00-6
Seat height:	49cm
Product size:	104x63x71cm
Packing size:	102x58x52cm
N.W/G.W.:	40/44 kgs
Loading Capacity:	88pcs/20GP; 230pcs/40HQ



A7-009

Start:	Electric start
Engine:	49CC, single cylinder, 2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	4.10-4
Seat height:	48cm
Product size:	95x63x71cm
Packing size:	92x41x52cm
N.W/G.W.:	31/35 kgs
Loading Capacity:	136pcs/20GP; 340pcs/40HQ

MINI ATV

MINI ATV



A7-002

Start: Pull start
 Engine: 49CC, single cylinder,
 2-Stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): All disc
 Tire(F/R): 4.10-4
 Seat height: 47cm
 Product size: 104x63x71cm
 Packing size: 102x58x52cm
 N.W/G.W.: 28/32kgs
 Loading Capacity: 88pcs/20GP;230pcs/40HQ

A7-010

Engine: 49CC, single cylinder,
 2-Stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): All disc
 Tire(F/R): 13x4.10-6;13x5.00-6
 Seat height: 52cm
 Product size: 115x63x71cm
 Packing size: 102x58x47cm
 N.W/G.W.: 39/43 kgs
 Loading Capacity: 110pcs/20GP;230pcs/40HQ



A7-003

Start: Pull start
 Engine: 49CC, single cylinder,
 2-Stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): All disc
 Tire(F/R): 4.10-4
 Seat height: 47cm
 Product size: 104x63x71cm
 Packing size: 92x41x52cm
 N.W/G.W.: 28/32kgs
 Loading Capacity: 136pcs/20GP;340pcs/40HQ



A7-001

Engine: 49CC, single cylinder,
 2-Stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): All disc
 Tire(F/R): 13x4.10-6;13x5.00-6
 Product size: 102x69x68cm
 Packing size: 102x58x47cm
 N.W/G.W.: 37/41 kgs
 Loading Capacity: 110pcs/20GP;230pcs/40HQ



A7-013

Engine: 49CC, single cylinder, 2-stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): All disc
 Tire(F/R): 13x4.10-6;13x5.00-6
 Seat Height: 52cm
 Product Size: 115x63x71cm
 Packing Size: 102x58x52cm
 N.W/G.W.: 39/43kgs
 Loading Capacity: 88pcs/20GP; 230pcs/40HQ



A7-012

Start: Electric start
 Engine: 49cc, single cylinder, 2-Stroke, air cooled
 Ignition: C.D.I
 Drive train: Chain
 Brake(F/R): All disc
 Tire(F/R): 4.10-6, 13-5.00-6
 Seat Height: 50cm
 Product Size: 115x65x72cm
 Packing Size: 102x58x52cm
 N.W/G.W.: 39/43kgs
 Loading Capacity: 110pcs/20GP;230cs/40HQ

E-ATV

E-ATV



E7-005

Motor power:	36V/500W/800W/1000W
Battery:	36V/12A
Controller:	36V/500W/800W/1000W
Brake(F/R):	Hydraulic Disc
Tire(F/R):	13x4.10-6;13x5.00-6
Product size:	110x60x76cm
Packing size:	102x58x52cm
N.W./G.W.:	50/56kgs
Loading Capacity:	88pcs/20GP;230pcs/40HQ



E7-001

Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH x3 (Lead-acid battery)
Controller:	36V/500W/800W/1000W
Brake(F/R):	Mechanical disc brake
Tire(F/R):	13x4.10-6;13x5.00-6
Seat height:	47cm
Product size:	102x69x68cm
Packing size:	102x58x47cm
N.W./G.W.:	48/54 kgs
Loading Capacity:	110pcs/20GP;230pcs/40HQ

E7-008

Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH x3 (Lead-acid battery)
Controller:	36V/500W/800W/1000W
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	13x4.10-6;13x5.00-6
Seat height:	52cm
Product size:	108x65x74cm
Packing size:	102x58x52cm
N.W./G.W.:	48/54 kgs
Loading Capacity:	88pcs/20GP;230pcs/40HQ



E7-002

Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH x3 (Lead-acid battery)
Max speed:	25km/h
Controller:	36V/500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	4.10-4
Seat height:	48cm
Product size:	100x59x60cm
Packing size:	99.5x58x52cm
N.W./G.W.:	39/45 kgs
Loading Capacity:	96pcs/20GP;240pcs/40HQ



E7-010

Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH x3 (Lead-acid battery)
Controller:	36V/500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	13x4.10-6;13x5.00-6
Seat height:	46cm
Product size:	105x65x69cm
Packing size:	102x58x47cm
N.W./G.W.:	50/56kgs
Loading Capacity:	110pcs/20GP;230pcs/40HQ



E7-007

Motor power:	36V/500W/800W/1000W
Battery:	12V/12AH x3 (Lead-acid battery)
Controller:	36V/500W/800W/1000W
Brake(F/R):	All disc
Tire(F/R):	13x4.10-6;13x5.00-6
Seat height:	47cm
Product size:	100x68x68cm
Packing size:	102x58x52cm
N.W./G.W.:	38/43 kgs
Loading Capacity:	88pcs/20GP;230pcs/40HQ

E-ATV

POKET BIKE



E7-02

Motor power: 36V/500W/800W/1000W
Battery: 12V/12AH x3
 (Lead-acid battery)
Max speed: 30km/h
Controller: 36V/500W/800W/1000W
Brake(F/R): Drum/Disc
Tire(F/R): 14.5/70-6
Seat height: 62cm
Product size: 127x74x85cm
Packing size: 116x66x58cm
N.W./G.W.: 90/106 kgs
Loading Capacity: 54pcs/20GP;136pcs/40HQ



E7-06

Motor power: 48V800W/1000W
Battery: 12V/12AHx4(Lead-acid battery)
Max Speed: 35km/h
Controller: 48V800W/1000W
Brake(F/R): Drum/ Disc
Tire(F/R): 16x8-7
Seat height: 64cm
Product Size: 131x81x90cm
Packing Size: 126x76x64cm
N.W./G.W.: 95/111kgs
Loading Capacity: 39pcs/20GP; 108pcs/40HQ



E7-13

Motor power: 48V/500W/800W/1000W
Battery: 12V/12AH x4
 (Lead-acid battery)
Max speed: 35-40km/h
Controller: 48V/500W/800W/1000W
Brake(F/R): Drum/Disc
Tire(F/R): 16x8-7
Product size: 138x84x88cm
Packing size: 127x76x64cm
N.W./G.W.: 98/114 kgs
Loading Capacity: 39pcs/20GP;108pcs/40HQ



E7-23

Start: Electric start
Motor power: 48V1000W Brushless
Battery: 12V/20AH(Lead-acid battery)
Brake(F/R): Drum/Hydraulic disc
Tire(F/R): 19x7-8;18x9.5-8
Seat Height: 85cm
Product Size: 180x111x112cm
Packing Size: 142x84x68cm
N.W./G.W.: 135/158kgs
Loading Capacity: 22pcs/20GP; 66pcs/40HQ

P7-01

Start: Pull start
Engine: 49CC, single cylinder, 2-stroke, air cooled
Ignition: C.D.I
Drive train: Chain
Brake(F/R): All disc
Tire(F/R): 90/65-6.5 / 110/50-6.5
Seat height: 47 cm
Product Size: 104x50x58 cm
Packing Size: 99x32x58 cm
N.W./G.W.: 18/21 kgs
Loading Capacity: 136pcs/20GP;370pcs/40HQ



E7-201

Start: Electric start
Motor power: 24V250W/350W
Drive train: Chain
Brake(F/R): All disc
Tire(F/R): 90/65-6.5 / 110/50-6.5
Seat height: 46cm
Product Size: 104x50x58 cm
Packing Size: 99x32x58 cm
N.W./G.W.: 24/27 kgs
Loading Capacity: 136 pcs/20GP; 370 pcs/40HQ

P7-03

Start: Electric start / Kick start
Engine: 50CC/70CC/90CC/110CC, 4-Stroke,
 Single Cylinder, air-cooled
Ignition: C.D.I
Drive train: Chain
Brake(F/R): Disc/Drum
Tire(F/R): 3.50-8 inch
Seat height: 69cm
Product size: 144x60x107cm
Packing size: 122x38x65cm
N.W./G.W.: 63/78 kgs
Loading Capacity: 90pcs/20GP;160pcs/40HQ



POKET BIKE

DIRT BIKE

D7-03 small wheels

Start:	Pull start / Electric start
Engine:	49CC, 2-Stroke, Single Cylinder, air-cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All Disc
Tire(F/R):	12 1/2 X2.75
Seat height:	61cm
Product size:	114x63x78cm
Packing size:	100x28x52cm
N.W/G.W.:	19/22 kgs
Loading Capacity:	184 pcs/20GP; 470pcs/40HQ



D7-08

Start:	Pull start/Electric start
Engine:	49CC, single cylinder, 2-stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	2.50-10
Seat height:	65 cm
Product Size:	122x63x80cm
Packing Size:	112x32x53cm
N.W/G.W.:	22/25kgs
Loading Capacity:	148pcs/20GP; 368pcs/40HQ



D7-05

Start:	Pull start/Electric start
Engine:	49CC Single Cylinder, 2-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	All Disc
Tire(F/R):	2.50-10
Seat height:	65cm
Product size:	122x63x80cm
Packing size:	108x32x52cm
N.W/G.W.:	22/25 kgs
Loading Capacity:	148pcs/20GP; 368pcs/40HQ



E7-206

Motor power:	24V/36V 350W(Brush)
Battery:	12v/12AH x2pcs(x3pcs)
Drive train:	Chain
Brake(F/R):	All disc
Tire(F/R):	2.50-10
Seat height:	65 cm
Product Size:	125x63x80cm
Packing Size:	112x31x54cm
N.W/G.W.:	22/25kgs
Loading Capacity:	140pcs/20GP; 330pcs/40HQ

E7-205

Start:	Electric start
Motor power:	24V/36V 350W(Brush)
Battery:	12V/12AH x2pcs(x3pcs)
Drive train:	Chain
Brake(F/R):	All Disc
Tire(F/R):	2.50-10
Seat height:	65cm
Product size:	125x63x80cm
Packing size:	112x32x53cm
N.W/G.W.:	28.5/32 kgs(35/38.5kgs)
Loading Capacity:	140pcs/20GP; 358pcs/40HQ



D7-12

Start:	Electric start/Kick start
Engine:	110/125CC, single cylinder, 4-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	60/100-14; 80/100-12
Seat height:	76cm
Product size:	156x68x97cm
Packing size:	138x38x64cm
N.W/G.W.:	55/66 kgs
Loading Capacity:	87pcs/20GP; 200pcs/40HQ



DIRT BIKE

E-SCOOTER

D7-13

Start:	Electric start&Kick start
Engine:	150CC, single cylinder, 4-Stroke, air cooled
Ignition:	C.D.I
Drive train:	Chain
Brake(F/R):	Hydraulic disc
Tire(F/R):	70/100-17;90/100-14
Seat height:	85cm
Product size:	170x71x110cm
Packing size:	152x38x75cm
N.W./G.W.:	75/89 kgs
Loading Capacity:	63pcs/20GP;135pcs/40HQ



D7-16

Engine:	110CC single cylinder,4 storke
Starting:	Electric start & kick start
Battery:	12V/5AH
Brake(F/R):	Hydraulic disc
Tire (R/F):	90/100-14(14') / 70/100-17(17')With steel hub
Muffler:	aluminum muffler
Absorber:	inverted fork,rear absorber with inner gasbag
Product size:	170x71x110cm
Packing Size:	153x43x72cm
N.W./G.W.:	78/89kgs
Loading Capacity:	55pcs/20GP; 133pcs/40HQ



D7-18

Engine:	110/125CC single cylinder,4 storke
Starting:	Electric start & kick start
Brake(F/R):	Hydraulic disc
Tire (R/F):	80/100-12(12') / 60/100-14(14')With steel hub
Muffler:	Alu muffler
Absorber:	Inverted fork,rear absorber with inner gasbag
Product size:	156x68x97cm
Packing Size:	148x38x70cm
N.W./G.W.:	72/85kgs
Loading Capacity:	72pcs/20GP; 168pcs/40HQ



E7-209

Motor power:	36V/350W(Brushless motor)
Battery:	36V/8.8A(Lithium)
Controller:	36V/350W
Brake:	Hydraulic disc
Tire(F/R):	10x4.0-6
Seat Height:	60cm
Product Size:	122x58x100cm
Packing Size:	110x34x58cm
N.W./G.W.:	25/28.5kgs
Loading Capacity:	136pcs/20GP;312pcs/40HQ



E7-105

Motor power:	24V/120W
Battery:	24V/4.5A
Controller:	24V/120W
Brake(F/R):	F:None; R:Axes Brake
Tire(F/R):	PU Tire Φ145mm, Φ200mm
Seat Height:	66cm
Product Size:	87x51x102cm
Packing Size:	86x26x33cm
N.W./G.W.:	12.5/13.5kgs
Loading Capacity:	390pcs/20GP;940pcs/40HQ



E7-113

Motor power:	36V/350W
Battery:	36V/12AH
Controller:	36V/350W
Brake(F/R):	Drum brake
Tire(F/R):	16x2.125/57-305with Motor:2.50-4
Seat height:	70cm
Product size:	104x69x112cm
Packing size:	75x45x60cm
N.W./G.W.:	40/49kgs
Loading Capacity:	130pcs/20GP;300pcs/40HQ



E7-109

Motor power:	24V/250W
Battery:	24V/7A
Controller:	24V/250W
Brake:	F:None; R:Axes Brake
Tire(F/R):	200x50-9
Seat Height:	66cm
Product Size:	87x51x100cm
Packing Size:	86x28x41cm
N.W./G.W.:	21/22.5kgs
Loading Capacity:	290pcs/20GP;722pcs/40HQ

E-SCOOTER



E7-102

Motor power: 36V/350W
Battery: 36V6AH/7.8AH
Controller: 36V/350W
Tire(F/R): 8"
Max speed: 30km/h
Product Size: 4x116x21cm 94x33x15cm(fold)
Packing Size: 103x21x40.5cm
N.W./G.W.: 11/15kgs
Loading Capacity: 330pcs/20GP;750pcs/40HQ



E7-104

Motor power: 36V/400W Brushless
Battery: 36V8AH/10AH/15AH
Controller: 36V/400W
Brake(F/R): None/Drum Brake
Tire(F/R): 200x50
Max speed: 30km/h
Max Loading: 150kgs
Product Size: 110x55x86-122cm 92x17x30cm(fold)
Packing Size: 105x23x40cm
N.W./G.W.: 14.5/23kgs
Loading Capacity: 285pcs/20GP;672pcs/40HQ

E-SCOOTER



E7-110

Motor power: 24V/350W brush motor or
 36V/350W brushless motor
Battery: 24/8A
Controller: 24V 36V/350W
Brake(F/R): F:None, R:Disc brake
Tire(F/R): 90/65-6.5;110/50-6.5
Seat height: 43cm
Product size: 95x57x70cm
Packing size: 90x25x49cm
N.W./G.W.: 20/23 kgs
Loading Capacity: 248pcs/20GP;585pcs/40HQ



E7-106

Motor power: 24V/350W
Battery: 24/12A
Controller: 24/350W
Brake(F/R): All disc
Tire(F/R): 90/65-6.5;110/50-6.5
Product size: 104x55x71cm
Packing size: 104x38.5x58cm
N.W./G.W.: 26/32 kgs
Loading Capacity: 128pcs/20GP;264pcs/40HQ



E7-107

Motor power: 36V400W/48V500W Brushless
Battery: 36V8AH/10AH/15AH/18AH/21AH
 48V/10AH/15AH/18AH/21AH
Controller: 36V/400W/48V500W
Brake(F/R): Disc Brake
Tire(F/R): 10x2.50
Max speed: 30km/h
Max range: 30-35km
Max Loading: 150kgs
Product Size: 115x56x80-120cm 122x25x30cm(fold)
Packing Size: 124x30x37cmcm
N.W./G.W.: 19/27kgs
Loading Capacity: 186pcs/20GP;455pcs/40HQ



E7-112

Motor power: 36V/500W/800W/1000W
Battery: 36V12AH
Controller: 36V/500W/800W/1000W
Brake(F/R): Hydraulic disc
Tire(F/R): 3.5-4
Seat height: 54cm
Product size: 112x46x105.5cm
Packing size: 116x31x50cm
N.W./G.W.: 37/42 kgs
Loading Capacity: 160pcs/20GP;350pcs/40HQ



E7-116

Motor power: 24V/250W
Battery: 24/12A
Controller: 24/250W
Brake(F/R): F: None, R: Axes brake
Tire(F/R): 12 12x2.75
Seat height: 77cm
Product size: 115x52x110cm
Packing size: 108x36x44cm
N.W./G.W.: 22.5/26 kgs
Loading Capacity: 158pcs/20GP;396pcs/40HQ



E7-119

Motor power: 24V/250W
Battery: 24/12A
Controller: 24/250W
Tire(F/R): 9x3.50-4
Seat height: 72cm
Product size: 107x56x102cm
Packing size: 115x35x52cm
N.W./G.W.: 27/30.5 kgs
Loading Capacity: 128pcs/20GP;330pcs/40HQ

E-SCOOTER

E-SCOOTER



E7-208 X1

Motor power: 60V/1000W(Brushless motor)
Battery: 60V12AH(Lithium)
Controller: 60/1000W
Brake(F/R): Hydraulic disc
Max speed: 40km/h
Charger time: 6-8h
Product size: 173x92x105cm
Packing size: 156x38x72cm
N.W/G.W.: 60/72kgs
Loading Capacity: 69pcs/20GP;154pcs/40HQ



E7-208 X3

Motor power: 60V/1000W(Brushless motor)
Battery: 60V12AH(Lithium)
Controller: 60/1000W
Brake(F/R): Hydraulic disc
Tire(F/R): 18x9.5-8(225/55-8)
Seat height: 74cm
Product size: 186x92x112cm
Packing size: 168x38x72cm
N.W/G.W.: 60/71kgs
Loading Capacity: 60pcs/20GP;146pcs/40HQ



E7-208 X7 with removable battery

Motor power: 60V/1000W(Brushless motor)
Battery: 60V12AH(Lithium)
Controller: 60/1000W
Brake(F/R): Hydraulic disc
Max speed: 40km/h
Charger time: 6-8h
Product size: 186x92x112cm
Packing size: 168x38x72cm
N.W/G.W.: 60/71kgs
Loading Capacity: 60pcs/20GP;146pcs/40HQ



E7-208 X11 with turning lights

Motor power: 60V/1000W(Brushless motor)
Battery: 60V12AH(Lithium)
Controller: 60/1000W
Brake(F/R): Hydraulic disc
Max speed: 40km/h
Charger time: 6-8h
Product size: 186x92x112cm
Packing size: 168x38x72cm
N.W/G.W.: 62/70 kgs
Loading Capacity: 60pcs/20GP;146pcs/40HQ

E7-114

Motor power: 36V/350W(Brushless)	Tire(F/R): 200x50;pu tire Φ76mm
Battery: 36V/4.4AH(Li battery)	Seat height: 28cm
Max speed: 30km/h	Packing size: 78x56x25cm
max loading: 120kgs	N.W/G.W.: 14.5/17kgs
Brake: Drum brake	Loading Capacity: 260pcs/20GP;600pcs/40HQ



E7-114J



E7-114V



E7-114K



E7-114S



E7-114 6inch



E7-114Y

E-SCOOTER

CAMPING WAGON

SPECIFICATIONS

Battery: Li-battery(Chinese Battery / Samsung battery)
 Max speed: 15km/h
 Option: Colour, Remote, App, Bluetooth, Carry bag, LED

Motor: 36V/350W x 2pcs
 Max loading: 120KGS



E7-117A



E7-117B



E7-117C



E7-117D



E7-117E



A8

Motor power: 350Wx2pcs
 Battery: 36V/4.4AH(Li battery)
 Max speed: 10km/h
 Tire(F/R): 10x2.15
 Product size: 27x58x90cm
 Packing size: 67.5x34x40cm
 N.W/G.W.: 13/14.5kgs
 Loading Capacity: 335pcs/20GP;714pcs/40HQ



Mi-9

Motor power: 700Wx2pcs
 Battery: 54V/4.4AH(Li battery)
 Max speed: 16km/h
 max loading: 60kgs
 Tire(F/R): 7.0/6.5-6.5
 Product size: 27x57x62cm
 Packing size: 61.5x29x33cm
 N.W/G.W.: 11.5/13kgs
 Loading Capacity: 525pcs/20GP;1197pcs/40HQ

E7-216-1



E7-216-1T



E7-216-5



E7-216-6



E7-216-3



E7-218-6



E7-216-5T



E8-216-1

